



Einhell Germany AG



**HEATING
EQUIPMENT
2014 / 2015**

Einhell
WELL DONE.

Einhell. Well done.

As one of the world's leading suppliers, Einhell Germany AG, with head offices in Landau an der Isar, Germany, develops and distributes solutions for DIY enthusiasts and craftsmen for use at home, in the garden and for leisure activities. For more than 50 years now Einhell has been the professional partner in more than 50 countries for hand-operated electric tools, stationary tools and machines, garden and water technology as well as heating equipment.


With the tagline "**Einhell® WELL DONE**", Einhell Germany AG can increasingly claim to be blazing a trail in the development of innovative new products and technologies that impress customers with their outstanding value for money.

As well as strengthening its brand positioning of delivering "**brand quality at the best price**" the company also focuses on sustainable international growth.



Einhell. Brand quality and service.

Our new multistage quality assurance system covers everything without exception: from audits of our production facilities around the world to our complete service for the end user.



HEATING EQUIPMENT



Gas and diesel heating equipment

Gas radiant heater	4
Gas heaters	5
Diesel hot air generators	6
Hot air generators	6

Electric heating equipment



Electric heaters	9
Fan heaters	9
Ceramic heaters	10
Tower heaters	11
Wall heater	12
Bath heaters	13
Terrace radiators	14
Quartz radiant heater	15
Halogen heater	15
Heat wave heaters	16
Antifreeze heaters	17
Convactor heaters	18
Panel heater	19
Oil-filled radiators	19

Service

20



GAS RADIANT HEATER

GAS RADIANT HEATER

GS 4600



2.7 - 4.6 kW 200 - 336 g/h 290 x 235 mm

Die-cast aluminum reflector | Adjustable heat output | Thermoelectric ignition guard | Robust and effective catalytic ceramic burner with pleasant radiant heat | Complete with gas hose and regulator | Only suitable for outdoor use

2.1 / 2.4 kg 6

335 x 240 x 110 mm

Article number 23.332.00



4 006825 233254



Gas radiant heater

For heating, thawing and drying

Economically priced and easy to use for a wide range of outdoor uses.

Simple design in the form of an attachable radiant heater for all standard gas cylinders.



GAS HEATERS

CERAMIC GAS HEATER

KGH 4200



Piezo ignition | Low-oxygen cut-out | Thermoelectric ignition guard | Pilot flame | Robust and effective catalytic ceramic burner with pleasant radiant heat | Gas cylinder storage compartment | 4 castors | Powder-coated sheet steel housing | Complete with gas hose and regulator (for outdoor use)

Two-level inside pressure regulator available as an accessory (23.323.99)

10.5 / 12.0 kg | 1 | 445 x 350 x 770 mm

Article number 23.323.30



BLUE FLAME GAS HEATER

BFO 4200/1




Piezo ignition | Low-oxygen cut-out | Thermoelectrical ignition guard | Pilot flame | „Blue Flame“ burner | Gas cylinder storage compartment | 4 castors | Powder-coated sheet steel housing | Complete with gas hose and regulator (for outdoor use)

Two-level inside pressure regulator available as an accessory (23.323.99)

10.0 / 11.0 kg | 1 | 445 x 350 x 770 mm

Article number 23.323.51



Einhell Germany AG

Ceramic thermostove

Very low emissions and long-lasting

The core component is the ceramic burner plate. The gas and air mixture burns uniformly and cleanly in its openings. The surface reaches temperatures of up to 1150°C and – in a similar way to the sun – emits infrared radiation in the process.

Since combustion with the burner is close to the surface, it is very low in emissions. The ceramic plate is virtually wear-free and will last for decades.

BLUE FLAME GAS HEATER

BFO 4200



Piezo ignition | Low-oxygen cut-out | Thermoelectrical ignition guard | „Blue Flame“ Burner | Gas cylinder storage compartment | 5 castors | Powder-coated sheet steel housing | Complete with gas hose and regulator (for outdoor use)

Two-level inside pressure regulator available as an accessory (23.323.99)

9.7 / 12.0 kg | 1 | 465 x 330 x 810 mm

Article number 23.323.50



BLUE FLAME GAS HEATER

BFO 4200 T



Piezo ignition | Thermostat (7°C - 32°C) | Low-oxygen cut-out | Thermoelectrical ignition guard | Pilot flame | „Blue Flame“ burner | Gas cylinder storage compartment | 5 castors | Powder-coated sheet steel housing | Complete with gas hose and regulator (for outdoor use)

Two-level inner pressure regulator available as an accessory (23.323.99)

10.0 / 11.0 kg | 1 | 460 x 320 x 810 mm

Article number 23.323.54



BLUE FLAME GAS HEATER

BFO 4200 TI



Piezo ignition | Thermostat (7°C - 32°C) | Low-oxygen cut-out | Thermoelectrical ignition guard | Pilot flame | „Blue Flame“ burner | Gas cylinder storage compartment | 5 castors | Powder-coated sheet steel housing | Complete with gas hose and two-level inner pressure regulator for use in rooms

10.0 / 11.0 kg | 1 | 460 x 320 x 810 mm

Article number 23.323.55



Blue flame thermo-stove

Long-lasting and robust

The gas which is supplied is ignited in a bar and burns with an open, visible blue flame. It quickly heats up the room in which it is used.

It is especially suitable for use in enclosed spaces (weekend homes, garages, workshops, etc.).

INSIDE PRESSURE CONTROLLER



Suitable for all 5 and 11 kg propane gas cylinders | Thermal shut-off device | Pressure relief device | Inlet pressure 0.3 - 16 bar | Outlet pressure 50 mbar


1 | Article number 23.323.99



DIESEL HOT AIR GENERATORS

DIESEL HOT AIR GENERATOR

DHG 200



Electric ignition | Tank indicator | Integrated fuel tank | Thermostat | Fault indicator | Photocell flame supervision | Overheating protection | Pressure gauge for pump pressure | Can be run with diesel or heating oil


12.7 / 15.0 kg 1
810 x 360 x 430 mm

Article number 23.364.00



DIESEL HOT AIR GENERATOR

DHG 360



Electric ignition | Tank indicator | Integrated fuel tank | Thermostat | Temperature and fault indicator | Photocell flame supervision | Overheating protection | Pressure gauge for pump pressure | Can be run with diesel or heating oil | Cable rewind | Large wheels | Storage compartment for small parts

24.0 / 27.0 kg 1
940 x 430 x 500 mm

Article number 23.364.06



Hot air generators

The perfect solution for drying and heating larger storage areas


EINHELL hot air generators are technologically sophisticated and offer our accustomed reliable quality at a fair price. All of the generators provide a high heat output and maximum operational performance and safety, while being compact and easy to handle at the same time.

The generators are designed, for example, for heating well-ventilated rooms, spot heating for workstations, drying on building sites and similar.

HOT AIR GENERATORS

HOT AIR GENERATOR

HGG 110 Niro



Piezo ignition | Heating jacket made of galvanized sheet steel | Gas valve button | Fan | Carry-handle | Housing made of stainless sheet steel | Back-fire guard | Piezo-electric flame guard | Solenoid valve | Complete with gas hose and regulator


4.8 / 5.7 kg 1
420 x 230 x 330 mm

Article number 23.301.30



HOT AIR GENERATOR

HGG 171 Niro



Piezo ignition | Heating jacket made of galvanized sheet steel | Gas valve button | Fan | Carry-handle | Housing made of stainless sheet steel | Back-fire guard | Piezo-electric flame guard | Solenoid valve | Complete with gas hose and regulator


4.9 / 6.0 kg 1
470 x 230 x 330 mm

Article number 23.304.35



HOT AIR GENERATOR

HGG 300 Niro



Piezo ignition | Heating jacket made of galvanized sheet steel | Gas valve button | Fan | Carry-handle | Housing made of stainless sheet steel | Back-fire guard | Piezo-electric flame guard | Solenoid valve | Complete with gas hose and regulator with hose break guard

4.9 / 6.0 kg 1
470 x 230 x 330 mm

Article number 23.309.10





Einhell Germany AG






ELECTRIC HEATERS

ELECTRIC HEATER

EH 3000 C



230 V ~ 50 Hz 3000 W 1500 / 3000 W SPLASHPROOF

Robust tubular pipe | Practical carry-handle | Heater housing swivels up by 20° | Air outlet grille made of powder-coated wire mesh | High-grade, rubber-insulated mains lead | Powerful axial fan with aluminium fan impeller | Special heating elements made of metal | Switch with 2 heat settings and fan mode | Thermostat control | Fan continues to run in order to cool the heating elements | Overheating protection | Splash guard IP 24.

4.8 / 5.4 kg 1

316 x 299 x 338 mm

Article number 23.382.70



4 006825 591040

ELECTRIC HEATER

EH 3000



230 V ~ 50 Hz 3000 W 1500 / 3000 W SPLASHPROOF

Rugged legs with integrated carry-handle | Galvanized rear housing panel | Air outlet grille made of powder-coated wire mesh | High-grade, rubber-insulated mains lead | Powerful axial fan with aluminium fan impeller | Special heating elements made of metal | Switch with 2 heat settings and fan mode | Thermostat control | Fan continues to run in order to cool the heating elements | Overheating protection | Splash guard IP 24

5.7 / 7.0 kg 1

320 x 320 x 465 mm

Article number 23.382.60



4 006825 548242

ELECTRIC HEATER

EH 5000



400 V 3~ 50 Hz 5000 W 2500 / 5000 W SPLASHPROOF

Rugged legs with integrated carry-handle | Galvanized rear housing panel | Air outlet grille made of powder-coated wire mesh | 400 V / 16 A CEE integrated connector | Powerful axial fan with aluminium fan impeller | Special heating elements made of metal | Switch with 2 heat settings and fan mode | Thermostat control | Fan continues to run in order to cool the heating elements | Overheating protection | Splash guard IP 24

6.3 / 7.4 kg 1

320 x 320 x 465 mm

Article number 23.382.66



4 006825 577532

FAN HEATERS

FAN HEATER

HKL 2000



220 - 240 V ~ 50 Hz 2000 W 1000 / 2000 W

Powerful axial fan | 2 power setting + blower setting | Infinitely variable thermostat control | Indicator light | Carry-handle | Protection IP X0

1.0 / 1.1 kg 6

230 x 140 x 275 mm

Article number 23.382.10



4 006825 510799

FAN HEATER

HKLO 2000



220 - 240 V ~ 50 Hz 2000 W 1000 / 2000 W

Powerful axial fan | 2 power settings + blower setting | Infinitely variable thermostat control | Selectable 90° oscillation function | Indicator light | Integrated trough handle | Protection IP 20

1.3 / 1.6 kg 6

230 x 210 x 310 mm

Article number 23.382.20



4 006825 510805

Fan heater

Sophisticated, robust technology for heating up enclosed rooms quickly

To create a pleasant room climate even in summer, all EINHELL fan heaters have an additional ventilation function to circulate the air.

CERAMIC HEATERS



FAN HEATER
KH 500



220 - 240 V ~ 50 Hz
 500 W

High quality PTC ceramic heating element | Powerful axial fan | Safety cut-out if the heater tips over and overheats | Protection IP XO

0.6 / 0.7 kg
 15

118 x 96 x 169 mm

Article number 23.388.40

4 006825 1599367

FAN HEATER
KH 1500



220 - 240 V ~ 50 Hz
 1500 W
 750 / 1500 W

High quality PTC ceramic heating element | Powerful axial fan | 2 power settings | Indicator light | Safety cut-out if the heater tips over and overheats | Protection IP XO

1.2 / 1.5 kg
 6

170 x 132 x 220 mm

Article number 23.388.01

4 006825 1599343

FAN HEATER
KHO 1500



220 - 240 V ~ 50 Hz
 1500 W
 750 / 1500 W

High quality PTC ceramic heating element | Powerful axial fan | Selectable 90° oscillation function | Infinitely variable thermostat | 2 power settings | Indicator light | Safety cut-out if the heater tips over and overheats | Protection IP XO

1.6 / 1.8 kg
 6

210 x 165 x 285 mm

Article number 23.388.11

4 006825 1599350

FAN HEATER
KH 1800



220 - 240 V ~ 50/60 Hz
 1800 W
 1200 / 1800 W

High quality PTC ceramic heating element | Powerful axial fan | Infinitely variable thermostat | 2 power settings and fan mode | Indicator lamps | Heater housing swivels | Safety cut-out if the heater tips over and overheats | Protection IP XO

1.9 / 2.3 kg
 6

265 x 250 x 310 mm

Article number 23.388.05

4 006825 1591743

FAN HEATER
NKH 1800



220 - 240 V ~ 50 Hz
 1800 W
 1000 / 1800 W

High quality PTC ceramic heating element | Powerful axial fan | 2 power settings + blower setting | Infinitely variable thermostat control | Indicator light | Integrated trough handle | Protection IP XO

1.2 / 1.4 kg
 8

175 x 145 x 235 mm

Article number 23.388.03

4 006825 1569865

FAN HEATER
NKH 1800 D



230 V ~ 50 Hz
 1800 W
 1000 / 1800 W

High quality PTC ceramic heating element | Powerful axial fan | 2 power settings + blower setting | Electronically adjustable room thermostat (15°C - 36°C) | Selectable 60° oscillation function | Back-lit display | Timer (1 min - 18 h) | Integrated trough handle | Protection IP XO


1.7 / 2.2 kg
 4

187 x 157 x 295 mm

Article number 23.388.16

4 006825 1577075





Einhell Germany AG



TOWER HEATER

HT 2000/1



All control elements on the top of the housing | Selectable oscillation function | 2 power settings + blower setting | Trough handle | Safety cut-out if the heater tips over and overheats | Protection IP XO

2.6 / 3.0 kg 1
250 x 230 x 535 mm

Article number 23.382.52



TOWER HEATER

HT 1800/1



High quality PTC ceramic heating element | 2 power settings + automatic mode + blower setting | Function display using LEDs and display | IR remote control | Timer (0.5 - 7.5 h) | Electronically adjustable room thermostat (15°C - 30°C) | Selectable oscillation function | Integrated trough handle | Safety cut-out if the heater tips over and overheats | Protection IP XO

3.1 / 3.6 kg 4
210 x 210 x 547 mm

Article number 23.388.22



PTC ceramic heater

For heating enclosed rooms quickly and efficiently, with maximum operational reliability and safety and a long product service life

Thanks to modern materials, PTC heaters have automatic temperature limitation.

This results in maximum operational reliability and safety. The ceramic heating elements are also extremely long lasting.

TOWER HEATERS

WALL HEATER
WH 2000 I



High quality PTC ceramic heating element | IR remote control
| LED display | Electronically adjustable room thermostat
(15°C - 36°C) | Timer (1 - 8 h) | Ionizer | 2 power settings
+ blower setting | „Swing“ switch: Air output fins adjust
automatically | Protection IP XO | For wall mounting only

3.5 / 4.0 kg 2

584 x 161 x 254 mm

Article number 23.385.03



PTC ceramic heater

For heating enclosed rooms quickly and efficiently, with maximum operational reliability and safety and a long product service life


Thanks to modern materials, PTC heaters have automatic temperature limitation.

This results in maximum operational reliability and safety. The ceramic heating elements are also extremely long lasting.



BATH HEATER

BH 2000/1



230 V ~ 50 Hz 2000 W 1000 / 2000 W SPLASHPROOF

Function display | Thermostat | 2 power settings + blower setting | Quiet fan | Protection IP 24 | For wall mounting only

1.7 / 2.4 kg 6

270 x 125 x 370 mm

Article number 23.385.64



4 006825 583168

BATH HEATER

BH 2000 H



230 V ~ 50 Hz 2000 W 1000 / 2000 W SPLASHPROOF

Function display | Thermostat | 2 power settings + blower setting | Quiet fan | Towel holders | Protection IP 24 | For wall mounting only


2.5 / 2.6 kg 6

300 x 120 x 405 mm

Article number 23.385.67



4 006825 583151



Einhell Germany AG



HALOGEN HEATER

NHH 2100



220 - 240 V ~ 50 Hz	3 m	2100 W	900 / 1200 / 2100 W
1.65 - 2.10 m	Ø 56 cm	SPLASHPROOF	

2 halogen heating elements | 3 power settings | 2-piece telescopic tube made of rust-proof steel | Safety grille | Safety cut-out if the heater tips over | Ideal for outdoor use, e.g. terraces, etc. | Rubber-insulated mains lead | Protection IP 44

12.8 / 16.2 kg	1
600 x 600 x 410 mm	

Article number 23.384.60



INFRARED RADIANT HEATER

IHS 1500



220 - 240 V ~ 50 Hz	2.80 m	1500 W	LED
2.00 - 2.20 m	IP 55		

Housing made of aluminium | Height-adjustable tubular stand and base cover made of rust-proof high-grade steel | Halogen heating element with heat output of 1500 W | Reflector can be tilted by 30° | LED lighting which can be switched on/off separately | Complete with remote control | Complete with wall bracket | Rubber-insulated mains lead | Safety cut-out if the heater tips over | Ideal for outdoor use, e.g. terraces, etc. | Protection IP 55

19.7 / 22.7 kg	1
810 x 520 x 365 mm	

Article number 23.385.40



INFRARED RADIANT HEATER

BTH 1500




220 - 240 V ~ 50 Hz	2.80 m	1500 W	1.10 m
IP 55			

Table top surface (Ø 60 cm) and base made of rust-proof steel | Tubular stand made of brushed aluminium | Heater tubes with heat output of 1500 W | Safety grille | Rubber-insulated mains lead | Safety cut-out if the heater tips over | Ideal for outdoor use, e.g. terraces, etc. | Protection IP 55

17.0 / 20.3 kg	1
1080 x 630 x 230 mm	

Article number 23.384.70





Infrared technology

Efficient, energy-efficient, eco-friendly, silent, no emissions, suitable for allergy sufferers

Devices with infrared technology (infrared, halogen, quartz heaters) provide heat – in a similar way to the sun’s rays – even and pleasant for the persons and objects at which they are directed.

This highly efficient functional principle has a positive effect on the amount of energy consumed and therefore saves costs and reduces the impact on the environment.

When it comes to infrared technology, air flows have hardly any effect on the heat output, so the technology is particularly suitable for devices used outdoors. Silent in operation and producing no emissions, the infrared heater is also suitable for indoor use. Since it does not generate any air turbulence, it is therefore ideal for allergy sufferers as well.




Einhell Germany AG



QUARTZ RADIANT HEATER

QUARTZ RADIANT HEATER

QH 1800



3 effective infrared quartz heating elements | 3 power settings | Heat setting indicator | Pull switch | Reflector can be tilted by 30° up and down | Protection IP 24 | For wall mounting only

1.5 / 2.0 kg | 6

665 x 105 x 155 mm

Article number 23.385.11



HALOGEN HEATER

HALOGEN HEATER

HH 1200/1



3 halogen heating elements | 3 power settings | Selectable 75° oscillation function | Carry-handle | Reflector | Safety grille | Safety cut-out if the heater tips over | Protection IP X0

2.7 / 3.3 kg | 3

380 x 165 x 620 mm


Article number 23.384.50



HEAT WAVE HEATERS

HEAT WAVE HEATER

WW 1200




High quality mica heating element | 3 power settings | Thermostat | 4 castors | Plastic and metal grating housing | Suitable for wall mounting | Protection IP 24

4.5 / 5.3 kg 3
695 x 80 x 485 mm

Article number 23.384.10
4 006825 529838

HEAT WAVE HEATER

WW 2000



High quality mica heating element | 2 power settings | Thermostat | 4 castors | Plastic and metal grating housing | Suitable for wall mounting | Protection IP 24

5.5 / 6.5 kg 3
795 x 80 x 485 mm

Article number 23.384.20
4 006825 529845

HEAT WAVE HEATER

WW 2000 D



High quality mica heating element | 2 power settings + automatic mode | LCD display | Electronic thermostat (7°C - 30°C) | IR remote control | Timer (0.5 - 23.5 h) | Antifreeze setting (7°C) | Suitable for wall mounting | Safety cut-out if the heater tips over and overheats | Protection IP 24

5.0 / 6.1 kg 1
930 x 490 x 85 mm

Article number 23.384.31
4 006825 601411



HEAT WAVE HEATER

FWW 2000



High quality mica heating element | 2 power settings | Electronic thermostat (5°C - 36°C) | LED display | Timer (1 - 18 h) | Plastic and metal grating housing | Protection IP XO

4.0 / 5.2 kg 1
855 x 250 x 335 mm

Article number 23.384.35
4 006825 584097

Infrared / radiant heaters


Extremely efficient and silent heating with radiant heat

Unlike convection heating, it is not the air but the surface at which the heat is directed that gets heated up. The air temperature can be an average of 2-3°C below that felt by the person, but is still found to be pleasant. With these devices, dry heated air is a thing of the past. In addition, they also eliminate expensive cushions of hot air, resulting in a drastic improvement in energy efficiency. Since they generate no air turbulence, these devices are also particularly suitable for allergy sufferers.

Our radiant heaters also come with a high-quality mica heating element, which requires only a short heating-up time.

ANTIFREEZE HEATER

FW 400/1



Automatic temperature monitor with frost protection | Infinitely variable thermostat control | Function display | For wall mounting only | Protection IP X0

1.0 / 1.3 kg 6
290 x 122 x 260 mm

Article number 23.387.02



ANTIFREEZE HEATER


FW 500



Automatic temperature monitor with frost protection | High quality mica heating element | Infinitely variable thermostat control | Suitable for wall mounting | Protection IP 24

1.2 / 1.6 kg 6
320 x 110 x 270 mm

Article number 23.387.01




Einhell Germany AG



CONVECTOR HEATERS

CONVECTOR HEATER

CH 2000/1



3 power settings | Infinitely variable thermostat control | Integrated indicator light | Overheating protection | Suitable for wall mounting | Protection IP XO

3.0 / 3.7 kg 1
625 x 140 x 440 mm

Article number 23.386.05



CONVECTOR HEATER

CH 2000/1 TT



3 power settings | Infinitely variable thermostat | Timer (24 h) | Turbo function with additional fan | Overheating protection | Suitable for wall mounting | Protection IP XO

3.7 / 4.4 kg 1
625 x 140 x 440 mm

Article number 23.386.55



CONVECTOR HEATER

GCH 2000



2 power settings | Electronic thermostat (15°C - 50°C) | Remote control | Front surface made of scratch-resistant glass | Back-lit LCD display | X-shape heating element for heating up quickly | Legs | Timer (1-23 h) | Touch-screen operation | Overheating protection | Suitable for wall mounting | Protection IP XO

10.2 / 11.5 kg 1
895 x 135 x 530 mm

Article number 23.386.60



Convectors


Efficient and uniform heating of enclosed rooms using the principle of convection

The cool air from the room flowing into the heater at the bottom is heated by the convector. The hot air rises while the cold air in the room «falls» and is suctioned in again by the convector from below. This circulation system in the room heats up the air quickly, efficiently and uniformly. Convector heaters are energy-efficient in operation.

PANEL HEATER / OIL-FILLED RADIATORS

PANEL HEATER

FH 800



Infinitely variable thermostat control | Housing filled with special oil | Legs with castors | Suitable for wall mounting | Overheating protection | On/Off switch | Protection IP 22

10.0 / 10.9 kg 1

1035 x 95 x 600 mm

Article number 23.383.82




4 006825 591064

Radiators

Mobile heat for every living area

Mobile radiators and panel heaters provide comfortable heat anywhere that it is needed where there is no central heating. EINHELL oil-filled radiators and panel heaters are robust in design and technologically sophisticated. Heat is stored for a long time and continues to be emitted uniformly to the surroundings long after the power has been switched off



Einhell Germany AG



OIL-FILLED RADIATOR

MR 715/1



3 power settings | 7 heating ribs | 4 castors | Infinitely variable thermostat control | Status indicator | Cable rewind | Trough handle | Protection IP XO

8.2 / 9.5 kg 1

405 x 705 x 140 mm

Article number 23.383.42



4 006825 583212

OIL-FILLED RADIATOR

MR 920/1



3 power settings | 9 heating ribs | 4 castors | Infinitely variable thermostat control | Status indicator | Cable rewind | Trough handle | Protection IP XO

9.9 / 11.0 kg 1

455 x 682 x 140 mm

Article number 23.383.33



4 006825 583229

OIL-FILLED RADIATOR

MR 924 TT



3 power settings | 9 heating ribs | 4 castors | 400 W PTC hot-air fan can be switched on | 24-hour time switch | Infinitely variable thermostat control | Status indicator | Cable rewind | Trough handle | Protection IP XO

11.8 / 13.0 kg 1

500 x 160 x 710 mm

Article number 23.383.05



4 006825 591217

OIL-FILLED RADIATOR

MR 1125/1



3 power settings | 11 heating ribs | 4 castors | Infinitely variable thermostat control | Status indicator | Cable rewind | Trough handle | Protection IP XO


12.0 / 13.4 kg 1

535 x 682 x 140 mm

Article number 23.383.21



4 006825 583236



Einhell Germany AG

We're always here to help – and that's a promise!
Is there anything you'd like to ask us about our products?
Would you like to order a part?
Your product isn't working as it should?

We're at your service!
We'll get you some help – fast and without any fuss.



iSC GmbH, Eschenstr. 6,
94405 Landau/Isar, Deutschland



+ 49 (0) 9951 959 2000



(Landline charge 14 cent/min.)
(Cell phone charge 42 cent/min.)

+ 49 (0) 1805 835 830



www isc-gmbh.info



info@isc-gmbh.info

Einhell Germany AG
Wiesenweg 22
94405 Landau/Isar
Germany

© 2014 Einhell Germany AG

Subject to technical
modifications and errors

www.einhell.com
info@einhell.com

Item no. 510599
As of: June 2014

Einhell